

 सत्यमेव जयते	<b>STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY PUNJAB</b> Ministry of Environment, Forest & Climate Change, Government of India O/o Directorate of Environment & Climate Change C/o PSCST, MGSIPA Complex, Sector 26, Chandigarh-160019 Tele-0172-2792325 Fax- 0172-2793143
---	---

No. DECC/SEIAA/2020/1512

REGISTERED

Date: 19/3/2020

To

✓ Sh. Shishir Lal,  
M/s Emaar MGF Land Private Ltd.  
Sector 105, Landran-Banur Road,  
Sahibzada Ajit Singh Nagar (Pb.),  
Mohali, PIN 160062  
Phone: 9582597232

**Subject: Application for obtaining Environmental Clearance under EIA notification dated 14.09.2006 for the development of Integrated Township namely "Mohali Hills" at Sectors-98, 99, 104, 105, 106, 108, 109 and 110, SAS Nagar, Mohali, Punjab developed by M/s EMAAR MGF Land Ltd. (Proposal no. SIA/PB/NCP/25837 /2017).**

This has reference to your online Proposal No. SIA/PB/NCP/25837 /2017 for obtaining Environment Clearance under EIA notification, 2006 for the development of Integrated Township namely "Mohali Hills" at Sectors-98, 99, 104, 105, 106, 108, 109 and 110, SAS Nagar, Mohali, Punjab, which was earlier granted Environmental Clearance by MoEF, Govt. of India vide Letter no. 21-171/2007- IA.III dated 18.06.2008 in an area of 888.50 acres at Sector 98, 105, 108 & 109, SAS Nagar, Mohali. The proposal has been appraised as per procedure prescribed under the provisions of EIA Notification dated 14.09.2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, 1-A, EIA report and the additional clarifications furnished in response to the observations of the SEAC. The salient features of the project are as under: -

1)	Name and Location of the project	Integrated Township Project "Mohali Hills" located at Sectors - 98, 99, 104, 105, 106, 108, 109 and 110, SAS Nagar (Mohali), Punjab
	Nature of project (Fresh/ Expansion/ Amendment/ Others)	Fresh

State Level Environment Impact Assessment Authority Punjab

	Activity (As per schedule appended to EIA Notification, 2006)	8(b): 'Township and Area Development projects'.														
	Category as per EIA Notification, 2006 (in schedule)	Category B1														
2)	Total cost of the project	Rs. 2,108.286 Crores														
3)	Total Plot area, Built-up Area and Green area	The details of the project is as under: <table border="1"> <thead> <tr> <th>S.No.</th> <th>Description</th> <th>Area</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Plotarea (Total scheme area)</td> <td>625.35 acres (or 253.07 hectares)</td> </tr> <tr> <td>2.</td> <td>Built-up area</td> <td>8,61,844.852 sq.m.</td> </tr> <tr> <td>3.</td> <td>Green area</td> <td>1,73,326.86 sq.m. (or 42.83 acres)</td> </tr> </tbody> </table>	S.No.	Description	Area	1.	Plotarea (Total scheme area)	625.35 acres (or 253.07 hectares)	2.	Built-up area	8,61,844.852 sq.m.	3.	Green area	1,73,326.86 sq.m. (or 42.83 acres)		
S.No.	Description	Area														
1.	Plotarea (Total scheme area)	625.35 acres (or 253.07 hectares)														
2.	Built-up area	8,61,844.852 sq.m.														
3.	Green area	1,73,326.86 sq.m. (or 42.83 acres)														
4)	Latitude & Longitude	Few corner coordinates are: <table border="1"> <thead> <tr> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>30°39'27.13"N</td> <td>76°41'48.71"E</td> </tr> <tr> <td>30°39'18.52"N</td> <td>76°40'59.67"E</td> </tr> <tr> <td>30°39'51.24"N</td> <td>76°40'04.84"E</td> </tr> <tr> <td>30°39'36.83"N</td> <td>76°39'51.39"E</td> </tr> <tr> <td>30°39'09.67"N</td> <td>76°40'38.92"E</td> </tr> <tr> <td>30°38'57.06"N</td> <td>76°41'32.43"E</td> </tr> </tbody> </table>	Latitude	Longitude	30°39'27.13"N	76°41'48.71"E	30°39'18.52"N	76°40'59.67"E	30°39'51.24"N	76°40'04.84"E	30°39'36.83"N	76°39'51.39"E	30°39'09.67"N	76°40'38.92"E	30°38'57.06"N	76°41'32.43"E
Latitude	Longitude															
30°39'27.13"N	76°41'48.71"E															
30°39'18.52"N	76°40'59.67"E															
30°39'51.24"N	76°40'04.84"E															
30°39'36.83"N	76°39'51.39"E															
30°39'09.67"N	76°40'38.92"E															
30°38'57.06"N	76°41'32.43"E															
5)	Land use pattern as per Master Plan	Land for the project confirms to the land use as per the Master Plan.														
6)	Population (when fully inhabited)	Estimated population: 77,629 Persons.														
7)	Water Requirements & source	<table border="1"> <thead> <tr> <th>Break up of water requirement</th> <th>Source</th> </tr> </thead> <tbody> <tr> <td> <b>Construction Phase</b>  Total water demand:  Approx. 20 KLD  Domestic water demand for 125 workers during peak period @ 6 KLD </td> <td> Treated water from STP.   Fresh water tankers. </td> </tr> <tr> <td> <b>Operation Phase</b>  Total Water demand: 13744 KLD  Fresh Water demand: 10584 KLD  Flushing Water Req.: 3160 KLD </td> <td> Borewells  Treatedwastewater from STP </td> </tr> </tbody> </table>	Break up of water requirement	Source	<b>Construction Phase</b> Total water demand: Approx. 20 KLD Domestic water demand for 125 workers during peak period @ 6 KLD	Treated water from STP.  Fresh water tankers.	<b>Operation Phase</b> Total Water demand: 13744 KLD Fresh Water demand: 10584 KLD Flushing Water Req.: 3160 KLD	Borewells Treatedwastewater from STP								
Break up of water requirement	Source															
<b>Construction Phase</b> Total water demand: Approx. 20 KLD Domestic water demand for 125 workers during peak period @ 6 KLD	Treated water from STP.  Fresh water tankers.															
<b>Operation Phase</b> Total Water demand: 13744 KLD Fresh Water demand: 10584 KLD Flushing Water Req.: 3160 KLD	Borewells Treatedwastewater from STP															

8)	Disposal Arrangement of Waste water	<p>Total wastewater generation will be 11,374 KLD which will be treated in existing STPs of 100 + 100 + 10 KLD + proposed STP of 3.7 &amp; 7.6 MLD capacity.</p> <table border="1" data-bbox="735 338 1442 591"> <thead> <tr> <th>Season</th> <th>Flushing (KLD)</th> <th>Green area (KLD)</th> <th>GMADA Sewer (KLD)</th> </tr> </thead> <tbody> <tr> <td>Summer</td> <td>3,160</td> <td>954</td> <td>6,661</td> </tr> <tr> <td>Winter</td> <td>3,160</td> <td>312</td> <td>7,303</td> </tr> <tr> <td>Monsoon</td> <td>3,160</td> <td>87</td> <td>7,900</td> </tr> </tbody> </table>	Season	Flushing (KLD)	Green area (KLD)	GMADA Sewer (KLD)	Summer	3,160	954	6,661	Winter	3,160	312	7,303	Monsoon	3,160	87	7,900
Season	Flushing (KLD)	Green area (KLD)	GMADA Sewer (KLD)															
Summer	3,160	954	6,661															
Winter	3,160	312	7,303															
Monsoon	3,160	87	7,900															
9)	Rain water recharging detail	58,864 m <sup>3</sup> of rain water will be generated which will be collected in 158 no. of recharge structures will be provided to recharge the rooftop, green area and paved area.																
10)	Solid waste generation and its disposal	<p>a) 28,750 kg/day  b) Solid waste will be appropriately segregated (at source) by providing bins into Bio-degradable and non-biodegradable Components.  c) 12,938 kg/day of bio-degradable waste will be converted into Manure using Mechanical Composters of size 6 × 2000 and 1 × 1000 kg/day.  d) 15,237 kg/day of non-biodegradable or dry waste will be handed over to authorized waste pickers  e) 575 kg/day of domestic hazardous waste will be disposed off to authorized vendors as per Solid Waste Management Rules, 2016.</p>																
11)	Hazardous Waste & E-waste	a) Used oil from DG sets will be sold to registered recyclers and E-waste will be disposed off as per the E-waste (Management) Amendment Rules, 2018.																
12)	Energy Requirements & Saving	<p>a) 65,106 KVA from PSPCL.  b) 13 DG Sets of 11,330 total capacity (i.e. 2 × 380 + 2 × 500 + 7 × 1010 + 2 × 1250) will be kept as standby for the power back up (silent DG sets)</p> <p><b>Energy Saving measures:</b>  40 Nos. of solar water heaters having 100 lt. capacity each have been provided for solar water heating systems in Group Housing of Sector-105.  LED street lights have been used instead of MH lamps within the sectors of project.</p>																
13)	Other Permissions	<p>a) NOC from GMADA for sewerage connection &amp; solid waste disposal vide Letter no. GMADA-D.E.(C-I)-13/33 dated 22.3.2013  b) CLUs obtained from DTCP.</p>																

The case was lastly considered by the SEAC in its 186<sup>th</sup> meeting held on 26.12.2019, wherein, the Committee observed that the project proponent has provided adequate and satisfactory clarifications to the observations raised by it, therefore, the Committee awarded 'Silver Grading' to the project proposal and decided to forward the case to the SEIAA with the recommendation to grant amendment in the Environmental Clearance to the project proponent under EIA notification dated 14.09.2006 for the project subject to certain conditions in addition to the proposed measures.

Thereafter, the case was lastly considered by the SEIAA in its 160<sup>th</sup> meeting held on 30.01.2020. The SEIAA observed that the case stands recommended by SEAC and the Committee awarded 'Silver Grading' to the project proposal. The Authority looked into all the aspects of the project proposal in detail and was satisfied with the same.

Therefore, the Authority decided to grant the Environmental Clearance for Integrated Township Project "Mohali Hills" having built-up area 8,61,844.852 sq.m. in total land area of 625.35 acres (or 253.07 hectares) at Sectors - 98, 99, 104, 105, 106, 108, 109 and 110, SAS Nagar (Mohali), Punjab as per the details mentioned in Form 1, 1A, EMP, EIA & subsequent presentations/ clarifications made by the project proponent and his Environmental Consultant subject to certain amended conditions and other conditions as proposed by SEAC in addition to the proposed measures. Accordingly, SEIAA, Punjab hereby accords necessary amendment in the Environmental Clearance for the above project under the provisions of EIA Notification dated 14.09.2006 and its subsequent amendments, subject to proposed measures & strict compliance of terms and conditions as follows: -

#### **Environmental Clearance Conditions:**

##### **I. Statutory compliance:**

- i) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- ii) The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.
- iii) The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- iv) The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- v) The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water

(Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board / Committee.

- vi) The project proponent shall obtain the necessary permission for drawl of ground water/ surface water required for the project from the competent authority.
- vii) A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- viii) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- ix) The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Construction & Demolition Waste Rules,2016 and the Plastics Waste (Management) Rules, 2016 shall be followed.
- x) The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
- xi) The project site shall conform to the suitability as prescribed under the provisions laid down under the master plan of respective city/ town. For that, the project proponent shall either to submit the NOC/ land use conformity certificate from Deptt of Town and Country Planning or other concerned Authority under whom jurisdiction, the site falls.
- xii) Besides above, the project proponent shall also comply with siting criteria / guidelines, standard operating practices, code of practice and guidelines if any prescribed by the SPCB/CPCB/MoEF&CC for such type of projects.
- xiii) The project proponent shall get the layout plans approved from the Competent Authority for the activities / establishments to be set up at project site in consonance of the project proposal for which this environment clearance is applied.

## **II. Air quality monitoring and preservation**

- i) Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii) A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii) The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.

- iv) Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v) Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3m height or 1/3rd of the building height and maximum upto 10m). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi) No Excavation of soil shall be carried out without adequate dust mitigation measures in place.
- vii) No loose soil or sand or construction & demolition waste or any other construction material that causes dust shall be left uncovered.
- viii) No uncovered vehicles carrying construction material and waste shall be permitted
- ix) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- x) Grinding and Cutting of building material in open area shall be prohibited. Wet jet shall be provided for grinding and stone cutting.
- xi) Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- xii) All construction and demolition debris shall be stored at the site within earmarked area and road side storage of construction material and waste shall be prohibited. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
- xiii) The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xiv) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xv) For indoor air quality the ventilation provisions as per National Building Code

of India.

- xvi) Roads leading to or at construction site must be paved and blacktopped (i.e. metallic road)
- xvii) Dust Mitigation measures shall be displayed prominently at the construction site for easy public viewing.
- xviii) Construction and Demolition Waste Processing and Disposal site shall be identified and required dust mitigation measure be notified at the site.

### III. Water quality monitoring and preservation

- i) The natural drain system should be maintained for ensuring unrestricted flow of water.
- ii) No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- iii) Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iv) The total water requirement for the project will be 14698 KL/day(max in summer season), which shall be met through groundwater & treated wastewater. Total fresh water use shall not exceed 10584 KL/day the proposed requirement as provided in the project details.
- v) a) The total wastewater generation from the project will be 11374 KL/day, which will be treated in existing STP's of capacity @ 100+100+10 KLD and additional STP of capacity @ 3.7 MLD and 7.6 MLD to be installed within the project premises. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as under:-

S. No.	Season	For Flushing purposes (KLD)	Green Area (KLD)	GMADA Sewer (KLD)
1.	Summer	3160	955	6661
2.	Winter	3160	312	7303
3.	Rainy	3160	87	7900

b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes.

c) During construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation

- vi) The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required.
- vii) The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- viii) A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- ix) At least 20% of the open spaces as required by the local building bye-Laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- x) Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- xi) The respective project proponent shall discourage the installation of R.O. plants in their projects in order to save the wastage in form of RO reject. However, in case the requirement of installing RO plant is utmost necessary then the rejected stream from the RO shall be separated and shall be utilized by storing the same within the particular component i.e. (Tower/Mall) or in a common place in the project premises.
- xii) The project proponent shall also adopt the new/innovating technologies like less water discharging taps (faucet with aerators)/urinals with electronic sensor system /water less urinals / twin flush cisterns/ sensor based alarming system for overhead water storage tanks and make it a part of the environmental management plans / building plans so as to reduce the water consumption/ground water abstraction in their Building Construction & Industrial projects.
- xiii) The project proponent will provide plumbing system for reuse of treated wastewater for flushing/ HVAC/ other purposes etc. and colour coding of different pipe lines carrying water/wastewater from different sources / treated wastewater as follows:

Sr. No	Nature of the Stream	Color code
a)	Fresh water	Blue Color
b)	Untreated wastewater from Toilets/ urinal & from Kitchen	Black color
c)	Untreated wastewater from Bathing/shower	Grey color



	area, hand washing (Washbasin / sinks) and from Cloth Washing	
d)	Reject water streams from RO plants & AC condensate (this is to be implemented wherever centralized AC system and common RO has been proposed in the Project). Further, in case of individual houses/establishment this proposal may also be implemented wherever possible.	White color
e)	Treated wastewater (for reuse only for plantation purposes) from the STP treating black water	Green
f)	Treated wastewater (for reuse for flushing purposes or any other activity except plantation) from the STP treating grey water	Green with strips
g)	Storm water	Orange Color

- xiv) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- xv) The CGWA provisions on rain water harvesting should be followed. Rain water harvesting recharge pits/structure (40 Nos RWH structure each with 3 borewells) /storage tanks shall be provided for ground water recharging as per the CGWB norms.
- xvi) A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xvii) All recharge should be limited to shallow aquifer.
- xviii) No ground water shall be used during construction phase of the project. Only treated sewage/wastewater shall be used. A proper record in this regard should be maintained and available at site.
- xix) Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- xx) The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- xxi) Sewage shall be treated in the STP with tertiary treatment. STP shall be installed in phased manner viz a viz in module system designed in a such a way

so as to efficiently treat the waste water with increase in its quantity due to rise in occupancy. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. No treated water shall be disposed in to municipal stormwater drain.

- xxii) No sewage or untreated effluent water would be discharged through storm water drains. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- xxiii) Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xxiv) Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

#### **IV. Noise monitoring and prevention**

- i) Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/SPCB.
- ii) Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- iii) Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

#### **V. Energy Conservation measures**

- i) Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii) Outdoor and common area lighting shall be LED.
- iii) Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient

building envelope, appropriate fenestration, increased. day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.

- iv) Energy conservation measures like installation of LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v) Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1 % of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi) Solar power by utilizing at least 30% of the roof top area shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

#### **VI. Waste Management**

- i) A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii) Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii) Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- iv) Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed for treatment and disposal of the waste.
- v) All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- vi) Any hazardous waste generated during construction phase, shall be disposed of as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vii) Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.

- viii) Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27<sup>th</sup> August, 2003 and 25<sup>th</sup> January, 2016. Ready mixed concrete must be used in building construction.
- ix) Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
- x) Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

## VII. Green Cover

- i) No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
- ii) At least single line plantation all around the boundary of the project as proposed shall be provided. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety. A minimum of one tree for every 80 sqm of total project land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. The plantation should be provided as per SEIAA guidelines.
- iii) Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1: 10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- iv) Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
- v) The project proponent shall not use any chemical fertilizer /pesticides /insecticides and shall use only Herbal pesticides/insecticides and organic manure in the green area.
- vi) The green belt along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use.

## VIII. Transport

- i) A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
  - a) Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
  - b) Traffic calming measures.
  - c) Proper design of entry and exit points.
  - d) Parking norms as per local regulation.
- ii) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- iii) A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
- iv) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.

## IX. Human health issues

- i) All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii) For indoor air quality the ventilation provisions as per National Building Code of India.
- iii) Emergency preparedness plan based on the Hazard identification and Risk Assessment (HJRA) and Disaster Management Plan shall be implemented.
- iv) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the

completion of the project.

- v) Occupational health surveillance of the workers shall be done on a regular basis.
- vi) A First Aid Room shall be provided in the project both during construction and operations of the project.

#### X. Corporate Environment Responsibility

- i) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending at least minimum amount of Rs. 4.81 crore towards following CER activities. The details are given below: -

S. No.	Activities	Annual expenditure	Timeline	Total expenditure in 7 years
1.	<b>Adoption of Village Raipur Kalan</b>			
	<ul style="list-style-type: none"> <li>Constructing Public Health services i.e. water supply network, trunk sewer, street light, solid waste management, etc.</li> </ul>	Rs. 43 lakhs	7 years	Rs. 3.01 Cr
	<ul style="list-style-type: none"> <li>Adoption of Village Pond &amp; its maintenance</li> </ul>	Rs. 20 lakhs	7 years	Rs. 1.4 Cr
2.	Installation of water coolers in common areas for general public in different places	Rs. 1.5 lakh	7 years	Rs. 10.5 lakhs
3.	Woolen Clothes & Blanket distribution & food to needy people during winters	Rs. 1 lakh	7 years	Rs. 7 lakhs
4.	Adoption of Govt. Primary School in Village Moujpur in terms of its maintenance and other necessary facilities	Rs. 2.5 lakhs	7 years	Rs. 17.5 lakhs
5.	Tree plantation drive on World Environment Day-Cost	Rs. 1 lakh	5 years	Rs. 5 lakhs
	<b>Total amount to be spent on CER</b>	<b>Rs. 69 Lakhs</b>		<b>Rs. 4.81 Crores</b>

- ii) The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to

bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.

- iii) A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 964 Lacs towards capital cost and Rs 44.7 Lacs/annum towards recurring cost in Construction phase of the project including the environmental monitoring cost and shall spend minimum amount of Rs 131 Lacs towards capital cost & Rs 23 Lacs/annum towards recurring cost in operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

#### **XI. Validity**

- i) This environmental clearance will be valid for a period of seven years from the date of its issue or till the completion of the project, whichever is earlier.

#### **XII. Miscellaneous**

- i) The project proponent before allowing any occupancy shall obtain completion and occupancy certificate from the Competent Authority and submit a copy of the same to the SEIAA, Punjab.
- ii) The project proponent shall comply with the conditions of CLU, if obtained.
- iii) The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- iv) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display

the same for 30 days from the date of receipt.

- v) The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- vi) The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at Environment Clearance portal.
- vii) The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- viii) The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- ix) The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- x) The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- xi) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- xii) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xiii) The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xiv) The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xv) The Regional Office of this Ministry and Punjab Pollution Control Board shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/ information/monitoring reports.
- xvi) The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986,



Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

- xvii) Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

  
Member Secretary

Endst. No. \_\_\_\_\_

Registered

Date \_\_\_\_\_

A copy of the above is forwarded to the following for information & further necessary action please.

1. The Secretary to Govt. of India, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi -110003.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-office Complex, East Arjun Nagar, New Delhi -110032.
3. The Chairman, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala -147001.
4. The Chairman, Punjab State Power Corporation Ltd, the Mall, Patiala -147001.
5. The Deputy Commissioner, SAS Nagar -160071.
6. The Additional Principal Conservator of Forests (C ), Ministry of Environment, Forests & Climate Change, Northern Regional Office, Bays No. 24-25, Sector- 31-A, Chandigarh -160030.
7. The Chief Town Planner, Department of Town & Country Planning, 6th Floor, PUDA Bhawan, Phase-8, Mohali -160062.
8. The Joint Director, Ministry of Environment and Forest, Northern Regional Office, Bays No.24-25, Sector-31-A, Chandigarh. The detail of the authorized Officer of the project proponent is as under:-160030
  - a) Name of the applicant : Sh. Shishir Lal, Authorized signatory
  - b) Phone Number : +91-9582597232
  - c) Email Id : Shishir.Lal@emaar-india.com
9. Monitoring Cell, Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jorbagh Road, New Delhi - 110003.

  
Member Secretary

